

High Performance Quality Products...

Self Centering Lathe Chucks Standard Jaws



Standard Accessories :
 Solid Reversible Jaws - 1 Set
 Chuck Operating Key - 1 Pc.
 Mounting Bolts - 1 Set

Type 6300 (Independent Jaw Chuck with D1 Type Plates)

Chuck Size (MM)	Chuck Size (Inches)	Short Taper	Through Hole		C.I. Body		S.G. Body		Steel Body
160	6 1/4"	D1-4	45		14341604		24341604		----
160	6 1/4"	D1-5	45		14341605		24341605		----
200	8"	A2-4	50		14342004		24342004		----
200	8"	D1-5	50		14342005		24342005		----
200	8"	D1-6	50		14342006		24342006		----
250	10"	D1-4	60		14342504		24342504		----
250	10"	D1-5	60		14342505		24342505		----
250	10"	D1-6	60		14342506		24342506		----
250	10"	D1-8	60		14342508		24342508		----
315	12 1/2"	D1-5	75		14343155		24343155		----
315	12 1/2"	D1-6	75		14343156		24343156		----
315	12 1/2"	D1-8	75		14343158		24343158		----
350	13 3/4"	D1-6	85		14343506		24343506		----
350	13 3/4"	D1-8	85		14343508		24343508		----



Type 6300 (Independent Jaw Chuck with D1 Type Plates) DIN 55029

Size	160mm			200mm			250mm				315mm			350mm	
Taper Nose	D1-4	D1-5	D1-4	D1-5	D1-6	D1-4	D1-5	D1-6	D1-8	D1-5	D1-6	D1-8	D1-6	D1-8	
A	160	160	200	200	200	250	250	250	250	315	315	315	355	355	
B	63.513	82.563	63.513	82.563	106.375	63.513	82.563	106.375	139.719	82.563	106.375	139.719	106.375	139.719	
C	58	58	74	74	74	80	80	80	80	88	88	88	90	90	
D	117	146	117	146	181	117	146	181	225	146	181	225	181	225	
E	140	140	82.6	82.6	82.6	104.8	104.8	104.8	104.8	133.4	133.4	133.4	133.4	133.4	
F	45	45	50	50	50	60	60	60	60	75	75	75	85	85	
G	M 10	M 10	M 10	M 10	M 10	M 10	M 10	M 10	M 10	M 12	M 12	M 12	M 12	M 12	
H	13	15	13	15	16	13	15	16	18	15	16	18	16	18	
J	24	24	32	32	32	32	32	32	32	36	36	36	36	36	
K	32	32	39	39	39	42	42	42	42	48	48	48	52	52	
M	9	9	10	10	10	11	11	11	11	12	12	12	12	12	
N	5	6	5	6	12	5	6	12	12	6	12	12	12	12	
P	20	20	22	23	23	22	23	23	25	23	25	25	25	25	
R	M10x1.0	M12x1.0	M10x1.0	M12x1.0	M16x1.5	M10x1.0	M12x1.0	M16x1.5	M20x1.5	M12x1.0	M16x1.5	M20x1.5	M16x1.5	M20x1.5	
S	15.9	19	15.9	19	22.2	15.9	19	22.2	25.4	19	22.2	25.4	22.2	25.4	

